
888 SMITH SYSTEM



Read and follow all directions for each step to insure proper assembly of this product.

Version: 888109

Revision: 01/09/03

USER'S GUIDE

TABLE OF CONTENTS

Safety Statement2	Parts list5
General Notes3	Assembly Instructions6-10
Tools Required3	General Maintenance11
Gym Layout4	Warranty Statement12
	Product Services13
	Insert-Registration Card

IMPORTANT SAFETY INFORMATION



THERE IS A RISK ASSUMED BY INDIVIDUALS WHO USE THIS TYPE OF EQUIPMENT. TO MINIMIZE RISK FOLLOW THESE RULES!

- Before using, read all the warnings and instructions on the use of this machine. Use only for intended exercise. DO NOT modify the machine.
- 2. Obtain a medical exam before beginning any exercise program.
- 3. Keep body and clothing free of all moving objects.
- 4. Inspect the machine before use. DO NOT use it if it appears damaged. DO NOT attempt to fix a broken or jammed machine. Notify your authorized ParaBody dealer before use and have repairs made by an authorized service technician.
- 5. Be certain that weight pin is completely inserted. Use only the pin provided by the manufacturer. If unsure, call your authorized ParaBody dealer.

- 6. Never pin the weights or prop plate into an elevated position. DO NOT use the machine if found in this condition. DO NOT attempt to fix. Notify your authorized ParaBody dealer.
- 7. Inspect cables and their connections before using machine. Pay particular attention to the cable ends. **DO NOT** attempt to fix. Notify your authorized ParaBody dealer before use and have repairs made by an authorized service technician.
- 8. Make sure all spring loaded pull pins are fully engaged in the adjustment position and fully tighten thumbscrew before use.
- 9. Children must not be allowed near this machine. Supervise teenagers.

.

NOTE: In a continual effort to improve our products, specifications are subject to change © 2001 Life Fitness, a division of Brunswick Corporation. All rights reserved. ParaBody is a trademark of Brunswick Corporation


IMPORTANT NOTES

Please note:


- * Thank you for purchasing the ParaBody 888 Smith System. Please read these instructions thoroughly and keep them for future reference. This product must be assembled on a flat, level surface to assure its proper function.
- * This product must be assembled on a flat, level surface to assure its proper function. DO NOT securely tighten any frame connections until the entire frame has been assembled, unless otherwise stated.

Tools Required for Assembly


- * 3/4" wrench
- * 9/16" wrench
- * Ratchet with 3/4" and 9/16" sockets
- * 7/32" Allen wrench
- * Adjustable wrench
- * Tape measure




NOTE: BOLT LENGTH IS MEASURED FROM THE UNDERSIDE OF THE HEAD OF THE BOLT.



BOLT LENGTH RULER:






1 Square = 1' X 1'

PARTS LIST _____


KEY	PART#	DESCRIPTION	QTY	KEY	PART#	DESCRIPTION	QTY
1	LEA6805609	UPPER CROSS BRACE	1	12	LEA7334309	UPRIGHT FRAME RIGHT	1
2	LEA6805709	LOWER CROSS BRACE	1	13	LEA3235312	1/2 X 3 BOLT	12
3	LEA7333410	BAR SUPPORT LEFT	1	14	LEA3114401	1/2" WASHER	6
4	LEA7333510	BAR SUPPORT RIGHT	1	15	LEA3114701	1/2" LOCK NUT	12
5	LEA7334910	SMITH BAR	1	16	LEA3105302	7/16" HOLE PLUG	8
6	LEA7419101	HOUSING	2	17	LEA3105303	9/16" HOLE PLUG	16
7	LEA7112601	WEIGHT HORN	2	18	LEA3235313	1/2 X 3-1/4" BOLT	6
8	LEA7334409	UPRIGHT FRAME LEFT	1				
9	LEA7419301	72" GUIDE ROD	2				
10	LEA7312501	BAR SUPPORT RACK	2				
11	LEA3245501	1" SHAFT COLLAR	2				



STEP 1:

- LOOSELY assemble the WEIGHT HORNS (7) and the LOWER CROSS BRACE (2) to the LEFT and RIGHT UPRIGHT FRAMES(8 & 12) as shown in FIGURE 1 using four 1/2 X 3-1/4" BOLTS (18), and four 1/2" LOCK NUTS (15).
- LOOSELY assemble the UPPER CROSS BRACE (1) to the top set of holes of the LEFT and RIGHT UPRIGHT FRAMES (8 & 12) as shown in FIGURE 1 using two 1/2 X 3" BOLTS (13), two 1/2" WASHERS (14), and two 1/2" LOCK NUTS (15).
- LOOSELY assemble the BAR SUPPORT RACKS (10) to the outside of the LEFT and RIGHT UPRIGHT FRAMES (8 & 12) as shown in FIGURE 1 using four 1/2 X 3" BOLTS (13), two 1/2 X 3-1/4" BOLTS (18), four 1/2" WASHERS (14), and six 1/2" LOCK NUTS (15).
- **SECURELY** tighten all connections made to up to this point.


0)	1/ I	/2	1	1	1	1/2	1	2		1.	/2	1	ı	1/2	1	4	1	/2	 5	1	/2	1	6
L				!		_!	_!_			!		ļ	6					-		 !				_



STEP 2:


• Insert the shaft of the HOUSINGS(6) into the ends of the SMITH BAR (5) as shown in FIGURE 2.

	1	/2			1/2		1,	/2			1/	′2			1/	′2			1.	/2		1
0		1	1	Ĺ		2			(3			4	1			5	5			(6
																					<u> </u>	I




STEP 3:

- Hook the SMITH BAR (5) onto slots of the BAR SUPPORT RACKS (10).
- **CAREFULLY** slide one GUIDE ROD (9) through the <u>upper</u> hole in the LEFT and RIGHT UPRIGHT FRAMES (8 &12). Slide one 1" SHAFT COLLAR (11) over the bottom of the GUIDE ROD (9), as shown in FIGURE 3.
- CAREFULLY lower the GUIDE ROD (9) through the HOUSING (6) on the SMITH BAR (5). (NOTE: Allow the GUIDE RODS (9) to push plastic tube out the bottom of the HOUSING (6). Discard this tube)
- Insert the GUIDE ROD (9) into the bottom hole of the LEFT and RIGHT UPRIGHTS (8 &12). Repeat these steps on opposite side.
- Slide the 1" SHAFT COLLARS (11) up the GUIDE RODS (9) to the bushing and SECURELY TIGHTEN.



STEP 4:

- Assemble the LEFT & RIGHT BAR SUPPORT (3 & 4) to the LEFT and RIGHT UPRIGHT FRAMES (8 & 12) as shown in FIGURE 4.
- If other options <u>ARE NOT</u> being assembled at this time, please go on to step 5. Otherwise stop here, and refer to the individual option(s) assembly instructions.



STEP 5:


- Insert sixteen 9/16" CAP PLUGS (17) into the exposed holes in the LEFT and RIGHT UPRIGHT FRAMES (8 & 12) as shown in FIGURE 5.
- Insert eight 7/16" CAP PLUGS (16) into the exposed holes in the UPPER & LOWER CROSS BRACES (1 & 2) as shown in FIGURE 5.

Thank you for purchasing the Parabody 888 SMITH SYSTEM. If unsure of proper use of equipment, call your local Parabody distributor or call the Parabody customer service department at (800) 328-9714.

MAINTENANCE

Please note:

- * We recommend cleaning your product (pads and frame) on a regular basis, using warm soapy water. Touch-up paint can be purchased from your ParaBody customer service representative at (800) 328-9714.
- * Inspect equipment daily. Tighten all loose connections are replace worn parts immediately. Failure to do so may result in serious injury
- * Lubricate guide rods with a teflon based (or equivalent) lubricant on a regular basis
- * PLEASE RECORD THE INFORMATION REQUESTED BELOW. IN THE EVENT YOU MAY NEED SERVICE YOU WILL BE ASKED FOR THIS INFORMATION. REMEMBER TO FILL OUT YOUR WARRANTY REGISTRATION CARD AND MAIL BACK.



Thank you for purchasing the ParaBody 888 Smith System.

LIMITED WARRANTY

ParaBody extends the following LIMITED WARRANTY to the original owner of the ParaBody products. The Warranty terms apply to IN HOME USE ONLY.

- 1. LIMITED WARRANTY ON FRAME AND WELDS. If the frame of the ParaBody product or a weld should crack or break, it will be repaired or replaced by ParaBody. Terms: Lifetime for so long as the Customer owns the ParaBody product.
- 2. LIMITED WARRANTY ON PARTS. If the following parts are defective in material or workmanship, ParaBody will supply replacement parts: all bolts, nuts, washers, bearings, bushings, pulleys, thumbscrews, collars, cable retaining clips, adjustable pre-stretch slides, roller pad shafts, allen head bolts, weight selector pin, weight stack shaft, set screws, protector caps, adjustment chain, cotter pin, plunger, spring and knob. Terms: Lifetime for so long as the Customer owns the ParaBody product.
- 3. LIMITED WARRANTY ON CABLES AND UPHOLSTERY. If the coated cables or upholstery are defective in material or workmanship, ParaBody will repair or replace them, at its option. Terms: Three (3) years.
- 4. CONDITIONS AND EXCEPTIONS. Any product misuse, abuse or alteration, any attempt to repair by a person other than an authorized ParaBody Service Center, any improper assembly, accident, or any other condition resulting from occurrences beyond the control of ParaBody will void this Limited Warranty.
- 5. REPLACEMENT AND REPAIR EXPENSES. ParaBody will provide only replacement parts or repair under this warranty. The Owner is responsible for all other costs. Such costs may include, but are not limited to: a. labor charges for service, removal, repair or reinstallation of the ParaBody product or any component part; b. shipping, delivery, handling and administrative charges for returning parts to ParaBody; and c. all necessary or incidental costs related to installation of the replacement parts.
- 6. SHIPPING. If shipping by the Owners is deemed necessary (in sole discretion of ParaBody), parts should be shipped in their original carton or equivalent packaging, fully insured with shipping charges prepaid. ParaBody will not assume any responsibility for any loss or damage incurred in shipping.
- 7. CLAIM PROCEDURES. If service on your ParaBody product is required during the warranty period, please contact our Customer Service Department at 1-800-328-9714 for instructions regarding returning or replacing parts. Please have available the following information: (i) the dealer's name; (ii) the date of purchase; (iii) the serial # (s) of your product (the serial number location is called out on the final assembly drawing included with your assembly instruction); (iv) a description of the nature of the problem.
- 8. OWNER'S RIGHT. This Limited Warranty gives you specific legal rights. You may also have other rights, which vary depending on local law.
- 9. LIMITATION OF IMPLIED WARRANTIES. All implied warranties, except to the extent prohibited by applicable law, shall have no greater duration than the warranty period set forth above. There are no warranties which extend beyond the description in this Limited Warranty. Because local laws do not allow limitations on how long an implied warranty lasts, the above limitations may not apply to you.
- 10. DISCLAIMER. No other express warranty has been made or will be made on behalf of ParaBody with respect to any ParaBody product or the operation, repair or replacement of any ParaBody product. ParaBody shall not be responsible for injury, loss of use of the ParaBody product, inconvenience, loss or damage to personal property, whether direct or indirect, and incidental or consequential damages, so the above limitation or exclusion may not apply to you.

NOTES:

LIFE FITNESS CONSUMER DIVISION

14150 Sunfish Lake Blvd. Ramsey Minnesota, 55303 U.S.A. Tel: 763.323.4500 Fax: 763.323.4797 800.328.9714 (Toll-free within the U.S. and Canada) www.parabody.com

INTERNATIONAL OFFICES

Life Fitness Atlantic BV Atlantic Headquarters Bijdorpplein 25-31 2992 LB Barendrecht The Netherlands

Phone: (180) 646 666 Fax: (180) 646 703

Life Fitness EUROPE GmbH Siemensstrasse 3 85716 Unterschleissheim Germany

Phone: (089) 31 77 51-0 Fax: (089) 31 77 51 99

Life Fitness Italia S.R.L. Via Elvas 92 39042 Bressanone Italy

Phone: 39 (472) 835-470 Fax: 39 (472) 833-150

Life Fitness Asia Pacific Limited Room 2610, Miramar Tower 132 Nathan Road, Tsimshatsui Kowloon, Hong Kong

Phone: (852) 2891-6677 Fax: (852) 2575-6001 Life Fitness (UK) Ltd. Queen Adelaide Ely, Cambs CB7 4UB United Kingdom

Phone CSS: (01353) 665507 Fax CSS: (01353) 666719

Life Fitness Benelux N.V. Bijdorpplein 25-31 2992 LB Barendrecht The Netherlands

Phone: 31 (180) 64 66 69 Fax: 31 (180) 64 66 99

Life Fitness Japan 8/F, Nippon Brunswick Building 5-27-7 Sendagaya Shibuya-Ku, Tokyo 151-0051 Japan

Phone: 81 (3) 3359-4309 Fax: 81 (3) 3359-4307

Life Fitness Do Brazil Al. Rio Negro, 433-Predio 2-Sala 2 3° andar (Confab) Aplhaville-Barueri-Sao Paulo

CEP: 06454-904

Brazil

Phone: 55 (11)7295-2217 Fax: 55 (11) 7295-2218